ADAPT GROUP LLC · FORT LAUDERDALE, FLORIDA

Adapt Group

FACTORY-DIRECT BUILDING MATERIALS

THE ADAPT LIBRARY — CATALOG

Kitchen Sinks

Fireclay kitchen sinks, cUPC certified — tested for cracking and thermal shock.

MANUFACTURER'S CATALOG FOLLOWS · 18 PAGES

FORT LAUDERDALE, FLORIDA

george@harmonysurface.com · adaptgroup.net

FROM THE ADAPT LIBRARY

About this collection

This book comes from the working library we source against every week. It is published by one of Adapt Group's partner factories, and it is reproduced here as part of our Kitchen Sinks collection — the range behind the quotes we write.

Adapt is a materials company, not a showroom. We buy **factory-direct** from our manufacturing partners overseas and deliver to your job site in Florida with **shipping, tariffs, and customs included** in the landed quote — one number, no freight surprises after the fact.

Treat this catalog as a sample of the range, not the limit of it. The catalog shows only a portion of what Adapt can source — if a specification, finish, or product isn't in these pages, ask. **Nothing is not available.**

Specifications and pricing are confirmed per project: send us your plans or a takeoff and we will spec-match the products, price the full package landed, and confirm every detail in writing before anything ships.

SOURCING	Factory-direct, through Adapt's manufacturing partners
LANDED QUOTES	Shipping, tariffs, and customs included — one number
PRICING	Confirmed per project, from your plans or takeoff
DELIVERY	To your job site, anywhere in Florida


Adapt Group LLC

FORT LAUDERDALE, FLORIDA · GEORGE@HARMONYSURFACE.COM · ADAPTGROUP.NET


This catalog is published by an Adapt Group supply partner and reproduced for project reference. Product photography, drawings, and specifications are the manufacturer's; final specifications, quantities, and pricing are confirmed in writing with every quote. Adapt Group LLC is a materials supplier, not the manufacturer of the products shown.



· BINLI FACTORY







HARMONY
Surface USA By Superior Stone

- **Believe**
  We always care about customer requirement, meet customer needs, and provide customers with satisfactory products. Every time you trust is the direction we work hard for.

- **Liberty**
  Take good faith as the foundation of the enterprise. Responsible for the promises made by customers, develop long-term and healthy cooperation with customers, and achieve a win-win situation.

- **Quality**
  Each of our FFC Sink has been tested for cracking and thermal shock Resistance. We have a freezing room for testing. Each FFC Sink needs to be frozen in a freezing room of -30℃ for at least 2 hours, and then poured on with boiling water to ensure that FFC Sink can withstand a temperature difference of 130℃.

Service

- Provide OME and ODM services. We have experienced QC specialize in daily inspections of products. Also have professional salesman to assist customers from order to shipment. And have comprehensive after-sales service to eliminate customers' worries.

HARMONY

Surface USA By Superior Stone

CETIFICATION

Only brands that have been
tested by the market are more convincing




佛山市陶瓷研究所检测有限公司
Foshan Ceramics Research Institute Testing Co.,Ltd.
检 测 报 告
Test Report

报告编号(Report No.): L2121/X21025-001 Page 1 of 1

Name of Sample	FFC Ceramic basin	Shape of Sample	Block
Applicant	GUANGDONG BINLI BATHROOM CO., LTD	Received Date	2021/10/25
Test Period	2021/10/25-2021/10/28	Reported Date	2021/10/28
Testing Category	As per the following		
Test Standard	SN/T 3253.1-2012		
Client Information	Add:West Lilong, Fengtang Village, Fengtang Town, Chaoan,Chaozhou, Guangdong, China		

检 测 结 果（Results of Inspection）

Reagent	Time	Temperature	Tingle result
Acetic acid solution , 10% (v/v)	16h	23℃	No visible change
Sodium Hydroxide,50g/L	16h	23℃	No visible change
Ethanol solution , 70% (v/v)	16h	23℃	No visible change
Sodium hypochlorite solution , 50%(v/v)	16h	23℃	No visible change
Methylene blue , 10g/L	16h	23℃	No visible change
Sodium chloride solution , 85/L	16h	23℃	No visible change
Test results	No visible change		

The following blank.

The test items in the report have not been certified by CMA, and are only used for scientific research, teaching or internal quality control.

本报告未经本所书面批准，不得复制（全文复制除外）。样品保留至报告超过 15 天。The results in this report apply to the samples only. 未加盖本所检测报告专用章，报告涉外无效。The Report is valid with the inspection organization stamp. 上述检测结果仅对样品负责，若于收到报告之日起 15 天内有异议可提出。Telling us in 15 days since you receive the Report,if you have any question with the test results.

单位盖章： Stamp: 授权签字人： Authorized Signature: 审 核： Approved:

Reagents tested for 16h at 23℃ temp.

- Acetic acid solution, 10%(v/v)
- Sodium Hydroxide, 50g/L
- Ethanol solution, 70%(v/v)
- Sodium hypochlorite solution, 50%(v/v)
- Methylene blue, 10g/L
- Sodium chloride solution, 85/L

Test passed

Crazing Resistance

- No glaze cracks.

Test passed


佛山市陶瓷研究所检测有限公司
Foshan Ceramics Research Institute Testing Co.,Ltd.
检 测 报 告
Test Report

报告编号(Report No.): KS918/YL2110-001 Page 1 of 1

Name of Sample	FFC 陶瓷盆	Shape of Sample	Block
Applicant	GUANGDONG BINLI BATHROOM CO., LTD	Received Date	2021/10/11
Test Period	2021/10/11-2021/10/16	Reported Date	2021/10/16
Testing Category	Crazing resistance		
Test Standard	GB/T 3810.11-2016		
Client Information	West Lilong, Fengtang Village, Fengtang Town, Chaoan,Chaozhou, Guangdong, China		

检 测 结 果（Results of Inspection）

Test specification	Testing results
Crazing resistance	No glaze cracks in the sample after the test

The following blank.

本报告未经本所书面批准，不得复制（全文复制除外）。样品保留至报告超过 15 天。The results in this report apply to the samples only. 未加盖本所检测报告专用章，报告涉外无效。The Report is valid with the inspection organization stamp. 上述检测结果仅对样品负责，若于收到报告之日起 15 天内有异议可提出。Telling us in 15 days since you receive the Report,if you have any question with the test results.

单位盖章： Stamp: 授权签字人： Authorized Signature: 审 核： Approved:


佛山市陶瓷研究所检测有限公司
Foshan Ceramics Research Institute Testing Co.,Ltd.
检 测 报 告
Test Report

报告编号(Report No.): KP938/F2211011-001 Page 1 of 1

Name of Sample	FFC 陶瓷盆	Shape of Sample	block
Applicant	GUANGDONG BINLI BATHROOM CO., LTD	Received Date	2021/10/11
Test Period	2021/10/11-2021/10/16	Reported Date	2021/10/16
Testing Category	resistance to thermal shock		
Test Standard	GB/T 3810.5-2016		
Client Information	West Lilong, Fengtang Village, Fengtang Town, Chaoan,Chaozhou, Guangdong, China		

检 测 结 果（Results of Inspection）

Test specification	Testing conditions	Testing results
resistance to thermal shock	130℃ to 0℃ cycle ten times	No cracks or peeling of the sample after the test

The following blank.


本报告未经本所书面批准，不得复制（全文复制除外）。样品保留至报告超过 15 天。The results in this report apply to the samples only. 未加盖本所检测报告专用章，报告涉外无效。The Report is valid with the inspection organization stamp. 上述检测结果仅对样品负责，若于收到报告之日起 15 天内有异议可提出。Telling us in 15 days since you receive the Report,if you have any question with the test results.

单位盖章： Stamp: 授权签字人： Authorized Signature: 审 核： Approved:

Thermal Shock Resistance

- Test 130℃ to 0℃ cycle ten times, no cracks or peeling.

Test passed


佛山市陶瓷研究所检测有限公司
Foshan Ceramics Research Institute Testing Co.,Ltd.
检 测 报 告
Test Report

报告编号(Report No.): KS918/YL2110-001 Page 1 of 1

Name of Sample	FFC 陶瓷盆	Shape of Sample	block
Applicant	GUANGDONG BINLI BATHROOM CO., LTD	Received Date	2021/10/11
Test Period	2021/10/11-2021/10/16	Reported Date	2021/10/16
Testing Category	Water absorption		
Test Standard	GB/T 3810.3-2016		
Client Information	West Lilong, Fengtang Village, Fengtang Town, Chaoan,Chaozhou, Guangdong, China		

检 测 结 果（Results of Inspection）

Test specification	Units	Testing results
Water absorption	%	9.06

The following blank.

本报告未经本所书面批准，不得复制（全文复制除外）。样品保留至报告超过 15 天。The results in this report apply to the samples only. 未加盖本所检测报告专用章，报告涉外无效。The Report is valid with the inspection organization stamp. 上述检测结果仅对样品负责，若于收到报告之日起 15 天内有异议可提出。Telling us in 15 days since you receive the Report,if you have any question with the test results.

单位盖章： Stamp: 授权签字人： Authorized Signature: 审 核： Approved:

Water absorption

- FFC sink meets the standard with in 10%. The test result is 9.06%.

Test passed


佛山市陶瓷研究所检测有限公司
Foshan Ceramics Research Institute Testing Co.,Ltd.
检 测 报 告
Test Report

报告编号(Report No.): L3232/OX21101-006 Page 1 of 1

Name of Sample	FFC 陶瓷盆	Shape of Sample	Ceramics
Applicant	GUANGDONG BINLI BATHROOM CO., LTD	Received Date	2021/11/01
Test Period	2021/11/01-2021/11/02	Reported Date	2021/11/02
Testing Category	As per the following		
Test Standard	JC/T908-2013		
Client Information	Add: West Lilong, Fengtang Village, Fengtang Town, Chaoan,Chaozhou, Guangdong, China		

检 测 结 果（Results of Inspection）

Test specification	Testing results		Remark
	Drop height	Sample appearance	
impact strength （Ball drop method）	500mm	Not cracked	Steel ball mass 225 grams
	800mm	Not cracked	
	1200mm	rupture	

The following blank.


本报告未经本所书面批准，不得复制（全文复制除外）。样品保留至报告超过 15 天。The results in this report apply to the samples only. 未加盖本所检测报告专用章，报告涉外无效。The Report is valid with the inspection organization stamp. 上述检测结果仅对样品负责，若于收到报告之日起 15 天内有异议可提出。Telling us in 15 days since you receive the Report,if you have any question with the test results.

单位盖章： Stamp: 授权签字人： Authorized Signature: 审 核： Approved:

Impact strenght (Ball drop method)

- Steel ball mass 225 grams
- 500mm/800mm Not cracked
- 1200mm Rupture

Test passed



HARMONY
Surface USA By Superior Stone

HARMONY
Surface USA By Superior Stone

Workstation Sink


With integrated ledge allows you to slide custom accessories across the sink to streamline meal prep and cleanup without losing space on the kitchen counter

Model: **BL3020**



Apron Kitchen Sink
Size: **760x508x254** mm

Embedded Type
30"x20"x10"




Model: **BL3320**



Apron Kitchen Sink
Size: **835x508x254** mm

Embedded Type
33"x20"x10"





HARMONY

Surface USA By Superior Stone






Model: **BL3320S**

Apron Kitchen Sink
Size: **838x508x257** mm

Embedded Type
33"x20"x10"



STEP

HARMONY

Surface USA By Superior Stone






Model: **BL3320D**

Apron Kitchen Sink
Size: **835x508x254** mm

Embedded Type
33"x20"x10"



Workstation Sink Optional Accessories



Wood Cutting Board




Bamboo Cutting Board




Colander (Wood Handle)



Colander (Silicon Handle)



Silicon Roll-up Rack



SS304 Roll-up Rack



SS304 Basket Strainer



SS304 Strainer




HARMONY
Surface USA By Superior Stone

Model: **BL2418N**



Apron Kitchen Sink
Size: **610x459x254** mm

Embedded Type
24"x18"x10"




Model: **BL3018N**



Apron Kitchen Sink
Size: **760x459x254** mm

Embedded Type
30"x18"x10"






HARMONY
Surface USA By Superior Stone

Model: **BL3318N**



Apron Kitchen Sink
Size: **835x459x254** mm

Embedded Type
33"x18"x10"




Model: **BL3318ND**



Apron Kitchen Sink
Size: **835x459x254** mm

Embedded Type
33"x18"x10"






HARMONY
Surface USA By Superior Stone

Model: **BL3320N**



Apron Kitchen Sink
Size: **835x508x254** mm

Embedded Type
33"x20"x10"




Model: **BL3020N**



Apron Kitchen Sink
Size: **760x508x254** mm

Embedded Type
30"x20"x10"




Model: **BL3620N**



Apron Kitchen Sink
Size: **914x508x254** mm

Embedded Type
36"x20"x10"





HARMONY
Surface USA By Superior Stone

Reversible

One side is smooth and flat, and the other side has a decorative fluted design, so you can decide how you want to install based on your preference. Large bowl design: 33-inch wide and 20-inch front-to-back gives you plenty of usable space. Extra Deep Bowl: 9 inch internal bowl depth gives ample space for all your dishes and large pots and pans.







Model: **BL3320ND**




Apron Kitchen Sink
Size: **835x508x254** mm

Embedded Type
33"x20"x10"









HARMONY
Surface USA By Superior Stone

Beauty and Durability


These fireclay sinks have a timeless appeal that has been around for decades. The nonporous finish has a beautiful, glossy sheen that is easy to clean. Beauty and durability come together in a scratch- and stain-resistant surface.

Model: **BL2420A**



Apron Kitchen Sink
Size: **610x508x254** mm

Embedded Type
24"x20"x10"




Model: **BL3020A**



Apron Kitchen Sink
Size: **760x508x254** mm

Embedded Type
30"x20"x10"




HARMONY
Surface USA By Superior Stone

Model: **BL3320AD**



Apron Kitchen Sink
Size: **835x508x254** mm

Embedded Type
33"x20"x10"




Model: **BL3320A**



Apron Kitchen Sink
Size: **835x508x254** mm

Embedded Type
33"x20"x10"




Model: **BL3620A**



Apron Kitchen Sink
Size: **914x508x254** mm

Embedded Type
36"x20"x10"





FIRECLAY
KITCHEN SINK

Human Engineering

The function of a large single bowl will give you the space you need to do just that. Ergonomically friendly design means that there is no counter between you and the bowls, so there is no leaning over during tasks.

HARMONY

Surface USA By Superior Stone



MULTIPLE CONFIGURATIONS

Allow you to create a look that complements the rest of your kitchen style. Choose from undermount and inset options.







Model: **BL1818R**



Apron Kitchen Sink
Size: **460x460x232** mm

Undermount / Inset Type
18"x18"x9"





HARMONY

Surface USA By Superior Stone

FIRECLAY
KITCHEN SINK

HARMONY

Surface USA By Superior Stone





Model: **BL3018**



Apron Kitchen Sink
Size: **760x459x254** mm

Undermount / Inset Type
30"x18"x10"







Impact Resistance

Highest resistance of impact from heavy objects


HARMONY
Surface USA By Superior Stone

Model: **BL3219**



Apron Kitchen Sink
Size: **813x483x254** mm

Undermount / Inset Type
32"x19"x10"




Model: **BL3219D**



Apron Kitchen Sink
Size: **813x483x254** mm

Undermount / Inset Type
32"x19"x10"




Model: **BL3219S**



Apron Kitchen Sink
Size: **813x483x254** mm

Undermount / Inset Type
32"x19"x10"



FIRECLAY
KITCHEN SINK

HARMONY
Surface USA By Superior Stone

Bar Sink




Model: **BL1919**



Bar Sink
Size: **483x483x203** mm

Undermount / Inset Type
19"x19"x8"




Model: **BL1319**



Bar Sink
Size: **330x483x203** mm

Undermount / Inset Type
13"x19"x8"




HARMONY
Surface USA By Superior Stone

Model: **BL2719**



Apron Kitchen Sink
Size: **685x483x254** mm

Undermount / Inset Type
27"x19"x10"



· Glossy white

Other optional colors



· Matte khaki



· Matte light grey



· Matte dark grey



· Matte black

Multi color selectable

Our products have five colors to choose from, and a variety of choices allow you to choose satisfactory products

· Glossy white

· Matte khaki

· Matte light grey

· Matte dark grey

· Matte black

Cross Section

The thickness of the cross section is 20mm and the bottom of FFC Sink for reference



