ADAPT GROUP LLC · FORT LAUDERDALE, FLORIDA

Adapt Group

FACTORY-DIRECT BUILDING MATERIALS

THE ADAPT LIBRARY — CATALOG

Shower Doors & Enclosures

The DOMO Line

Framed and frameless shower enclosures and partition configurations — the deepest book in the library.

MANUFACTURER'S CATALOG FOLLOWS · 72 PAGES

FORT LAUDERDALE, FLORIDA

george@harmonysurface.com · adaptgroup.net

FROM THE ADAPT LIBRARY

About this collection

This book comes from the working library we source against every week. It is published by one of Adapt Group's partner factories, and it is reproduced here as part of our Shower Doors & Enclosures collection — the range behind the quotes we write.

Adapt is a materials company, not a showroom. We buy **factory-direct** from our manufacturing partners overseas and deliver to your job site in Florida with **shipping, tariffs, and customs included** in the landed quote — one number, no freight surprises after the fact.

Treat this catalog as a sample of the range, not the limit of it. The catalog shows only a portion of what Adapt can source — if a specification, finish, or product isn't in these pages, ask. **Nothing is not available.**

Specifications and pricing are confirmed per project: send us your plans or a takeoff and we will spec-match the products, price the full package landed, and confirm every detail in writing before anything ships.

SOURCING	Factory-direct, through Adapt's manufacturing partners
LANDED QUOTES	Shipping, tariffs, and customs included — one number
PRICING	Confirmed per project, from your plans or takeoff
DELIVERY	To your job site, anywhere in Florida

Adapt Group LLC

FORT LAUDERDALE, FLORIDA · GEORGE@HARMONYSURFACE.COM · ADAPTGROUP.NET

This catalog is published by an Adapt Group supply partner and reproduced for project reference. Product photography, drawings, and specifications are the manufacturer's; final specifications, quantities, and pricing are confirmed in writing with every quote. Adapt Group LLC is a materials supplier, not the manufacturer of the products shown.

DOMO SHOWER PARTITIONS


HARMONY
Surface USA By Superior Stone

SHOWER PARTITIONS

HARMONY
Surface USA By Superior Stone

HARMONY SURFACE USA BY SUPERIOR STONE INC

Mail: hoston@harmonysurface.com
Tel: +86-13859904931 / 916-915-3129



@ 2025

PROUCT CATALOG

SHOWER PARTITIONS

01

DOMO SHOWER ROOM



02



PROUCT
CATALOG

FASHIONABLE &
AESTHETIC
DESIGN

Index

European style

CRETA P09
CRETA FOLDED P17
MENORAC P25
PARIS P31
PARIS NEW P33
ELBA P37
BER P45
RHIN P51
ECHO P59
ECHO HANGER P65
LYON P69
MESSINA P73
TRENTO P77
MIKONOS P83
RIMINI P89
TUB SCREEN P91
TURIN P97
FINA P99
MILAN P101
RIMIONI GRID P103
MODINI P105
FOLDED FLEX P107
RD P109

American style

NOVA SL P115
NOVA SOFT CLOSE P117
NAPOLS SL P119
BARI(8MM) BP P121
VENI BP P123
SIENA BP P125
PARMA BP P127
Verona HGD P129
Minbu HGD P131
Genoa HGD P133
FREMONT 1DOOR HGD P135
FREMONT 2DOORS HGD P137
FREMONT (1FIX+1DOOR) HGD P139

TECHNOLOGY

3C Safety Certification

Tempered glass, when shattered under extreme external force, rapidly breaks into tiny blunt-angled particles. Certified by China's 3C National Authority and Europe's CE Standard, it ensures anti-explosion safety and reliability.

Explosion-Proof Glass Technology

Tempered glass, when shattered under extreme external force, rapidly breaks into tiny blunt-angled particles. Certified by China's 3C National Authority and Europe's CE Standard, it ensures anti-explosion safety and reliability.

Glass Coating Technology

A multi-layer metal compound film is applied to the glass surface. This coating enables the creation of decorative patterns while providing anti-fouling and acid/alkali resistance properties.

Nano Self-Cleaning Technology

Water droplets form a contact angle of 102—109° (nearly spherical) with the glass surface. Driven by gravity, droplets slide rapidly, carrying away dirt with their superhydrophobic properties, enabling automatic cleaning.

Roller Technology

Independently developed stainless steel roller frames feature automatic adjustment, corrosion-resistant bearings, silent sliding, wear resistance, and extended durability.

Mirror Polishing Technology for Hardware

Using 304 stainless steel profiles, a unique manual precision polishing process creates a uniform, mirror-like surface finish.

Waterproof Magnetic Seal

Made from imported neutral PVC formula, this ultra-transparent eco-friendly seal offers elasticity, temperature resistance (-20°C to 65°C), corrosion resistance, and long-term color stability.

Enhanced Strength & Impact Resistance

Tempered glass exhibits 5x higher strength, impact resistance, and flexural strength compared to standard glass. A 6mm-thick panel withstands impacts from a 227g steel ball dropped from 2.5m.

Premium Hardware Technology

304 stainless steel components ensure corrosion resistance, fatigue resistance, and high load capacity. Independently molded components achieve precision fit for optimal performance.

Aerospace-Grade Aluminum Technology

Aviation-grade aluminum profiles provide optimal balance of hardness and toughness without brittleness, exceeding national and European standards for safety.

Eco-Friendly Technology

Utilizes fluorine-free, non-toxic materials that are harmless to humans and the environment, promoting sustainability and water conservation.

Thermal Shock Resistance

Tempered glass withstands extreme temperature fluctuations (-70°C to +390°C) without cracking, offering 3x greater thermal shock resistance than conventional glass.

V-Shaped Rail Technology

The V-shaped rail design minimizes sliding noise, ensures smooth motion, prevents derailment, and extends lifespan compared to traditional rails.

European style

SHOWER PARTITIONS

07

DOMO SHOWER ROOM




SHOWER PARTITIONS

creta series


THK 6 mm | reversible | 195 cm

High Gloss | CE




CRETA FRONTAL (1 DOOR)

Shower doors




CRETA FRONTAL (2 DOORS)

Shower doors




CRETA FRONTAL (1FIX+1 DOOR)

Shower doors




CRETA RECT.

Shower enclosures



CRETA FRONTAL + FIJO

Shower enclosures




CRETA FRONTAL + FIJO (CORNER PROFILE)

Shower enclosures

Technical Parameters


Pivot system
Easy-clean coating
6mm tempered glass (Transnparent/Strip decorated)
Metal fixed bar(CP/Black/Golden) (optional)
304SS/ZINC ALLOY HANDLE (CP/Black/Golden)
Alumum profile (Oxidized/Black/Golden)
Reversible (left or right)
lower bottom threshold: 9mm (CP/Black/Golden)

creta frontal (1 door)



Shower doors
Glass Thickness: 6 mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT	OPENING
700 x 1950	655 - 700	550
800 x 1950	755 - 800	650
900 x 1950	855 - 900	750
1000 x 1950	955 - 1000	850

creta frontal (2 doors)



Shower doors
Glass Thickness: 6 mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT	OPENING
1000 x 1950	(950-1000) x 1950	845
1100 x 1950	(1050-1100) x 1950	945
1200 x 1950	(1150-1200) x 1950	1045
1300 x 1950	(1250-1300) x 1950	1145
1400 x 1950	(1350-1400) x 1950	1245
1500 x 1950	(1450-1500) x 1950	1345
1600 x 1950	(1550-1600) x 1950	1445
1700 x 1950	(1650-1700) x 1950	1545
1800 x 1950	(1750-1800) x 1950	1645

creta frontal (1 fix +1 door)



Shower doors
Glass Thickness: 6 mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT	OPENING
1000 x 1950	(950-1000) x 1950	595
1100 x 1950	(1050-1100) x 1950	645
1200 x 1950	(1150-1200) x 1950	695
1300 x 1950	(1250-1300) x 1950	745
1400 x 1950	(1350-1400) x 1950	795
1500 x 1950	(1450-1500) x 1950	845
1600 x 1950	(1550-1600) x 1950	895
1700 x 1950	(1650-1700) x 1950	895
1800 x 1950	(1750-1800) x 1950	895

creta rect.



Shower enclosures
Glass Thickness: 6 mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT	OPENING
700 x 700 x 1950	(680-700) x (680-700)	840
750 x 750 x 1950	(730-750) x (730-750)	910
800 x 800 x 1950	(780-800) x (780-800)	980
900 x 900 x 1950	(880-900) x (880-900)	1130
700 x 900 x 1950	(680-700) x (880-900)	980
700 x 1000 x 1950	(680-700) x (980-1000)	1070
700 x 1100 x 1950	(680-700) x (1080-1100)	1130
800 x 1000 x 1950	(780-800) x (980-1000)	1130
800 x 1100 x 1950	(780-800) x (1080-1100)	1210
700 x 1200 x 1950	(680-700) x (1180-1200)	1210
800 x 1200 x 1950	(780-800) x (1180-1200)	1290

creta frontal + fijo



Shower enclosures
Glass Thickness: 6 mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm

SIZE	ADJUSTMENT	OPENING	REMARK
700 x 1950	680-700	550	FRONTAL
800 x 1950	780-800	650	
900 x 1950	880-900	750	
1000 x 1950	980-1000	850	
700 x 1950	680-700		FIJO
800 x 1950	780-800		
900 x 1950	880-900		


SHOWER PARTITIONS

creta frontal + fijo (corner profile)



Shower enclosures
Glass Thickness: 6 mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT	OPENING	REMARK
700 x 1950	680-700	550	FRONTAL
800 x 1950	780-800	650	
900 x 1950	880-900	750	
1000 x 1950	980-1000	850	
700 x 1950	680-700		FIJO
800 x 1950	780-800		
900 x 1950	880-900		

SHOWER PARTITIONS


creta folded series

THK 6 mm | reversible | 195 cm


High Gloss | CE




CRETA FOLDED FRONTAL (1DOOR)
Shower doors




CRETA FOLDED FRONTAL(2+2)
Shower doors



CRETA FOLDED AQUARE
Shower enclosures



CRETA FOLDED FRONTAL+FIJO
Shower enclosures



CERTA FOLDED FRONTAL + CRETA FIJO
Shower enclosures

Technical Parameters


Pivot hinge system, 304 SS HINGE (CP/Black/Golden)
Easy-clean coating
6mm tempered glass (Transnparent/Strip decorated)
Metal fixed bar(CP/Black/Golden) (optional)
304SS/ZINC ALLOY HANDLE (CP/Black/Golden)
Alumum profile (Oxidized/Black/Golden)
Reversible (left or right)
lower bottom threshold: 9mm (CP/Black/Golden)

creta folded frontal (1 door)



Shower doors
Glass Thickness: 6 mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT	OPENING
700 x 1950	655-700	550
800 x 1950	755-800	650
900 x 1950	855-900	750
1000 x 1950	955-1000	850
1100 x 1950	1055-1100	950
1200 x 1950	1155-1200	1050

creta folded frontal (2+2)



Shower doors
Glass Thickness: 6 mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT
1200 x 1950	1160-1200
1300 x 1950	1260-1300
1400 x 1950	1360-1400
1500 x 1950	1460-1500
1600 x 1950	1560-1600
1700 x 1950	1660-1700
1800 x 1950	1760-1800
1900 x 1950	1860-1900
2000 x 1950	1960-2000
2100 x 1950	2060-2100

creta folded square



Shower enclosures
Glass Thickness: 6 mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT	OPENING
700 x 700 x 1950	(675-700) x (675-700)	840
800 x 800 x 1950	(775-800) x (775-800)	980
900 x 900 x 1950	(875-900) x (875-900)	1130
1000 x 1000 x 1950	(975-1000) x (975-1000)	1270

creta folded frontal+fijo



Shower enclosures
Glass Thickness: 6 mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm

SIZE	ADJUSTMENT	OPENING	REMARK
700 x 1950	680-700	550	FRONTAL
800 x 1950	780-800	650	
900 x 1950	880-900	750	
1000 x 1950	980-1000	850	
1100 x 1950	1080-1000	950	
1200 x 1950	1280-1000	1050	
700 x 1950	680-700		FIJO
800 x 1950	780-800		
900 x 1950	880-900		


creta folded

frontal + creta fijo



Shower enclosures
Glass Thickness: 6 mm
Height: 1950 mm

Customizable (Non-Standard)



Unit: mm

SIZE	ADJUSTMENT	OPENING
700 x 700 x 1950	(675-700) x (675-700)	840
800 x 800 x 1950	(775-800) x (775-800)	980
900 x 900 x 1950	(875-900) x (875-900)	1130
1000 x 1000 x 1950	(975-1000) x (975-1000)	1270

D+

PROFILES + ACCESSORIES



HIGH QUALITY




SHOWER PARTITIONS

menorca series

THK 8 mm | reversible | 195 cm

High Gloss | CE




MENORCA FRONTAL (1 FIX + 1DOOR)

Shower doors



MENORCA RECT

Shower enclosures



MENORCA FRONTAL + FIJO

Shower enclosures

Technical Parameters


Sliding system
Easy-clean coating glass
8mm tempered glass (Transnparent/Strip decorated)
304SS/ZINC ALLOY WHEELS (CP/Black/Golden)
304SS/ZINC ALLOY HANDLE (CP/Black/Golden)
Alumum profile (Oxidized/Black/Golden)
Reversible (Left or Right) for transparent glass
lower bottom threshold: 1.5cm (CP/Black/Golden)

menorca frontal (1 fix +1 door)



Shower doors
Glass Thickness: 6 mm
Height: 1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT	OPENING
1000 x 1950	970-1000	425
1100 x 1950	1070-1100	475
1200 x 1950	1170-1200	525
1300 x 1950	1270-1300	575
1400 x 1950	1370-1400	625
1500 x 1950	1470-1500	675
1600 x 1950	1570-1600	725
1700 x 1950	1670-1700	775
1800 x 1950	1770-1800	825
1900 x 1950	1870-1900	875
2000 x 1950	1970-2000	925

menorca rect.



Shower enclosures
Glass Thickness: 6 mm
Height: 1950 mm

Customizable (Non-Standard)



Unit: mm

SIZE	ADJUSTMENT	OPENING
800 x 800 x 1950	(780-800) x (780-800)	400
900 x 900 x 1950	(880-900) x (880-900)	470
700 x 900 x 1950	(680-700) x (880-900)	400
700 x 1000 x 1950	(680-700) x (980-1000)	445
700 x 1100 x 1950	(680-700) x (1080-1010)	490
800 x 1000 x 1950	(780-800) x (980-1000)	470
800 x 1100 x 1950	(780-800) x (1080-1100)	510
700 x 1200 x 1950	(680-700) x (1180-1200)	530
800 x 1200 x 1950	(780-800) x (1180-1200)	555


menorca

frontal + fijo



Shower enclosures
Glass Thickness: 8 mm
Height: 1950 mm

Customizable (Non-Standard)



SIZE	ADJUSTMENT	OPENING	REMARK
1000 x 1950	970-1000	425	FRONTAL
1100 x 1950	1070-1100	475	
1200 x 1950	1170-1200	525	
1300 x 1950	1270-1300	575	
1400 x 1950	1370-1400	625	
1500 x 1950	1470-1500	675	
1600 x 1950	1570-1600	725	
1700 x 1950	1670-1700	775	
1800 x 1950	1770-1800	825	
1900 x 1950	1870-1900	875	
2000 x 1950	1970-2000	925	
700 x 1950	680-700		FIJO
750 x 1950	730-750		
800 x 1950	780-800		
900 x 1950	880-900		

Unit: mm

SHOWER PARTITIONS


D+

PROFILES + ACCESSORIES






HIGH QUALITY






paris (3 doors)




Shower doors
Glass Thickness: 6 mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm

SIZE	ADJUSTMENT	OPENING
1000 x 1950	950-1000	450
1100 x 1950	1050-1100	515
1200 x 1950	1150-1200	585
1300 x 1950	1250-1300	655
1400 x 1950	1350-1400	725
1500 x 1950	1450-1500	795
1600 x 1950	1550-1600	865
1700 x 1950	1650-1700	935
1800 x 1950	1750-1800	1005



PARIS (3 DOORS)
Shower doors

Technical Parameters

- Sliding system
- Easy-clean coating
- 6mm tempered glass(Transnparent/Strip decorated)
- 304SS/ZINC ALLOY WHEELS (CP/Black/Golden)
- 304SS/ZINC ALLOY HANDLE (CP/Black/Golden)
- Alumum profile(Oxidized/Black/Golden)




SHOWER PARTITIONS


paris new series

THK 6 mm | reversible | 195 cm

High Gloss | CE



PARIS NEW FRONTAL (1 FIX + 2DOORS)
Shower doors



PARIS NEW FRONTAL + FIJO
Shower enclosures

Technical Parameters

Sliding system
Easy-clean coating
6mm tempered glass(Transnparent/Strip decorated)
304SS/ZINC ALLOY WHEELS (CP/Black/Golden)
304SS/ZINC ALLOY HANDLE (CP/Black/Golden)
Alumum profile(Oxidized/Black/Golden)
lower bottom threshold: 1.0cm (CP/Black/Golden)


paris new

frontal (1 fix +2 doors)



Shower doors
Glass Thickness: 6 mm
Height：1950 mm

Customizable (Non-Standard)




Unit: mm

SIZE	ADJUSTMENT	OPENING
1000 x 1950	950-1000	510
1100 x 1950	1050-1100	570
1200 x 1950	1150-1200	630
1300 x 1950	1250-1300	690
1400 x 1950	1350-1400	750
1500 x 1950	1450-1500	810
1600 x 1950	1550-1600	870
1700 x 1950	1650-1700	930
1800 x 1950	1750-1800	990


paris new

frontal+fijo



Shower enclosures
Glass Thickness: 6 mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT
700 x 1950	680-700
750 x 1950	730-750
800 x 1950	780-800
850 x 1950	830-850
900 x 1950	880-900

SHOWER PARTITIONS

elba series


THK 6 mm | reversible | 195 cm

High Gloss | CE




ELBA FRONTAL (1 FIX + 1DOOR)

Shower doors



ELBA FRONTAL (2 + 2)

Shower doors




ELBA FRONTAL + FIJO

Shower enclosures



ELBA RECT.

Shower enclosures



ELBA ARCH

Quadrant shower enclosures

Technical Parameters


Sliding system
Easy-clean coating
6mm tempered glass(Transnparent/Strip decorated)
304SS/ZINC ALLOY WHEELS (CP/Black/Golden)
304SS/ZINC ALLOY HANDLE (CP/Black/Golden)
Alumum profile (Oxidized/Black/Golden)
Reversible (Left or Right)

elba frontal (1 fix +1 door)



Shower doors
Glass Thickness: 6 mm
Height: 1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT	OPENING
1000 x 1950	950-1000	395
1100 x 1950	1050-1100	445
1200 x 1950	1150-1200	495
1300 x 1950	1250-1300	545
1400 x 1950	1350-1400	595
1500 x 1950	1450-1500	595
1600 x 1950	1550-1600	645
1700 x 1950	1650-1700	695
1800 x 1950	1750-1800	695
1900 x 1950	1850-1900	695
2000 x 1950	1950-2000	695

elba frontal (2+2)



Shower doors
Glass Thickness: 6 mm
Height: 1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT	OPENING
1200 x 1950	1150-1200	450
1300 x 1950	1250-1300	500
1400 x 1950	1350-1400	550
1500 x 1950	1450-1500	600
1600 x 1950	1550-1600	650
1700 x 1950	1650-1700	700
1800 x 1950	1750-1800	750
1900 x 1950	1850-1900	800
2000 x 1950	1950-2000	850
2100 x 1950	2050-2100	900

elba rect.



Shower enclosures
Glass Thickness: 6 mm
Height: 1950 mm

Customizable (Non-Standard)



Unit: mm

SIZE	ADJUSTMENT	OPENING
700 x 700 x 1950	(670-700) x (670-700)	355
750 x 750 x 1950	(720-750) x (720-750)	390
800 x 800 x 1950	(770-800) x (770-800)	425
900 x 900 x 1950	(870-900) x (870-900)	495
700 x 900 x 1950	(670-700) x (870-900)	430
700 x 1000 x 1950	(670-700) x (980-1000)	470
700 x 1100 x 1950	(670-700) x (1070-1100)	510
800 x 1000 x 1950	(770-800) x (970-1000)	500
800 x 1100 x 1950	(770-800) x (1070-1100)	540
700 x 1200 x 1950	(670-700) x (1170-1200)	550
700 x 1400 x 1950	(670-700) x (1370-1400)	630
800 x 1200 x 1950	(770-800) x (1170-1200)	590
800 x 1400 x 1950	(770-800) x (1370-1400)	670

elba arch



Quadrant shower enclosures
Glass Thickness: 6 mm
Height: 1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT	OPENING
800 x 800 x 1950	(770-800) x (770-800)	430
900 x 900 x 1950	(870-900) x (870-900)	550

elba frontal + fijo



Shower enclosures
Glass Thickness: 6 mm
Height: 1950 mm

Customizable (Non-Standard)



Unit: mm

SIZE	ADJUSTMENT	OPENING	REMARK
1000 x 1950	950-1000	395	FRONTAL
1100 x 1950	1050-1100	445	
1200 x 1950	1150-1200	495	
1300 x 1950	1250-1300	545	
1400 x 1950	1350-1400	595	
1500 x 1950	1450-1500	595	
1600 x 1950	1550-1600	645	
1700 x 1950	1650-1700	695	
1800 x 1950	1750-1800	695	
1900 x 1950	1850-1900	695	
2000 x 1950	1950-2000	695	
700 x 1950	680-700		FIJO
800 x 1950	780-800		
900 x 1950	880-900		

D+

PROFILES + ACCESSORIES



HIGH QUALITY



SHOWER PARTITIONS

berlin series

THK 6 mm | reversible | 195 cm

High Gloss | CE




BER FRONTAL (1 FIX + 1DOOR)

Shower doors




BER FRONTAL (2 + 2)

Shower doors



BER RECT.

Shower enclosures



BER FRONTAL (1 + 1) + FIJO

Shower enclosures

Technical Parameters


Sliding system
Easy-clean coating
6mm tempered glass(Transnparent/Strip decorated)
304SS/ZINC ALLOY WHEELS (CP/Black/Golden)
304SS/ZINC ALLOY HANDLE (CP/Black/Golden)
Alumum profile(Oxidized/Black/Golden)
Reversible (Left or Right) for transparent glass
lower bottom threshold: 9mm (CP/Black/Golden)

berlin frontal (1 fix +1 door)



Shower doors
Glass Thickness: 6 mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT	OPENING
1000 x 1950	950-1000	390
1100 x 1950	1050-1100	440
1200 x 1950	1150-1200	490
1300 x 1950	1250-1300	540
1400 x 1950	1350-1400	590
1500 x 1950	1450-1500	590
1600 x 1950	1550-1600	640
1700 x 1950	1650-1700	690
1800 x 1950	1750-1800	690
1900 x 1950	1850-1900	690
2000 x 1950	1950-2000	690

berlin frontal (2+2)



Shower doors
Glass Thickness: 6 mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT	OPENING
1200 x 1950	1150-1200	445
1300 x 1950	1250-1300	495
1400 x 1950	1350-1400	545
1500 x 1950	1450-1500	595
1600 x 1950	1550-1600	645
1700 x 1950	1650-1700	695
1800 x 1950	1750-1800	745
1900 x 1950	1850-1900	795
2000 x 1950	1950-2000	845
2100 x 1950	2050-2100	895

berlin frontal+fijo



Shower enclosures
Glass Thickness: 6 mm
Height：1950 mm

Customizable (Non-Standard)



SIZE	ADJUSTMENT	OPENING	REMARK
1000 x 1950	950-1000	395	FRONTAL
1100 x 1950	1050-1100	445	
1200 x 1950	1150-1200	495	
1300 x 1950	1250-1300	545	
1400 x 1950	1350-1400	595	
1500 x 1950	1450-1500	595	
1600 x 1950	1550-1600	645	
1700 x 1950	1650-1700	695	
1800 x 1950	1750-1800	695	
1900 x 1950	1850-1900	695	
2000 x 1950	1950-2000	695	
700 x 1950	680-700		FIJO
750 x 1950	730-750		
800 x 1950	780-800		
900 x 1950	880-900		


Unit: mm

berlin rect.



Shower enclosures
Glass Thickness: 6 mm
Height：1950 mm

Customizable (Non-Standard)



SIZE	ADJUSTMENT	OPENING
700 x 700 x 1950	(670-700) x (670-700)	340
750 x 750 x 1950	(720-750) x (720-750)	375
800 x 800 x 1950	(770-800) x (770-800)	410
900 x 900 x 1950	(870-900) x (870-900)	480
700 x 900 x 1950	(670-700) x (870-900)	415
700 x 1000 x 1950	(670-700) x (980-1000)	455
700 x 1100 x 1950	(670-700) x (1070-1100)	495
800 x 1000 x 1950	(770-800) x (970-1000)	485
800 x 1100 x 1950	(770-800) x (1070-1100)	525
700 x 1200 x 1950	(670-700) x (1170-1200)	535
700 x 1400 x 1950	(670-700) x (1370-1400)	615
800 x 1200 x 1950	(770-800) x (1170-1200)	575
800 x 1400 x 1950	(770-800) x (1370-1400)	655


Unit: mm

SHOWER PARTITIONS


rhin series

THK 6 mm | reversible | 195 cm

High Gloss | CE



RHIN FRONTAL (1 FIX + 1DOOR)
Shower doors




RHIN FRONTAL (2 + 2)
Shower doors



RHIN FRONTAL + FIJO
Shower enclosures



RHIN PANLE
Shower enclosures



RHIN QUADRANT
Quadrant shower enclosures

Technical Parameters


Sliding system
Easy-clean coating
6mm tempered glass(Transnparent/Strip decorated)
304SS/ZINC ALLOY WHEELS (CP/Black/Golden)
304SS/ZINC ALLOY HANDLE (CP/Black/Golden)
Alumum profile (Oxidized/Black/Golden)
Reversible (Left or Right)

rhin frontal (1 fix +1 door)



Shower doors
Glass Thickness: 6 mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT	OPENING
1000 x 1950	950-1000	395
1100 x 1950	1050-1100	445
1200 x 1950	1150-1200	495
1300 x 1950	1250-1300	545
1400 x 1950	1350-1400	595
1500 x 1950	1450-1500	595
1600 x 1950	1550-1600	645
1700 x 1950	1650-1700	695
1800 x 1950	1750-1800	695
1900 x 1950	1850-1900	695
2000 x 1950	1950-2000	695

rhin frontal (2+2)



Shower doors
Glass Thickness: 6 mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT	OPENING
1200 x 1950	1150-1200	450
1300 x 1950	1250-1300	500
1400 x 1950	1350-1400	550
1500 x 1950	1450-1500	600
1600 x 1950	1550-1600	650
1700 x 1950	1650-1700	700
1800 x 1950	1750-1800	750
1900 x 1950	1850-1900	800
2000 x 1950	1950-2000	850
2100 x 1950	2050-2100	900

rhin frontal + fijo (corner joint)



Shower enclosures
Glass Thickness: 6 mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm

SIZE	ADJUSTMENT	OPENING	REMARK
1000 x 1950	950-1000	395	FRONTAL
1100 x 1950	1050-1100	445	
1200 x 1950	1150-1200	495	
1300 x 1950	1250-1300	545	
1400 x 1950	1350-1400	595	
1500 x 1950	1450-1500	595	
1600 x 1950	1550-1600	645	
1700 x 1950	1650-1700	695	
1800 x 1950	1750-1800	695	
1900 x 1950	1850-1900	695	
2000 x 1950	1950-2000	695	
700 x 1950	680-700		FIJO
750 x 1950	730-750		
800 x 1950	780-800		
900 x 1950	880-900		

rhin arch



Quadrant shower enclosures
Glass Thickness: 6 mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT	OPENING
800 x 800 x 1950	(770-800) x (770-800)	430
900 x 900 x 1950	(870-900) x (870-900)	550

rhin panel



Shower enclosures
Glass Thickness: 6 mm
Height：1950 mm

Customizable (Non-Standard)



SIZE	ADJUSTMENT	OPENING
700 x 700 x 1950	(670-700) x (670-700)	355
750 x 750 x 1950	(720-750) x (720-750)	390
800 x 800 x 1950	(770-800) x (770-800)	425
900 x 900 x 1950	(870-900) x (870-900)	495
1000 x 1000 x 1950	(970-1000) x (970-1000)	565
1100 x 1100 x 1950	(1070-1100) x (1070-1100)	635
700 x 800 x 1950	(670-700) x (770-800)	390
700 x 900 x 1950	(670-700) x (870-900)	430
700 x 1000 x 1950	(670-700) x (980-1000)	470
700 x 1100 x 1950	(670-700) x (1070-1100)	510
750 x 1000 x 1950	(720-750) x (980-1000)	485
800 x 900 x 1950	(770-800) x (870-900)	460
800 x 1000 x 1950	(770-800) x (970-1000)	500
800 x 1100 x 1950	(770-800) x (1070-1100)	540
900 x 1000 x 1950	(870-900) x (970-1000)	540
700 x 1200 x 1950	(670-700) x (1170-1200)	550
700 x 1400 x 1950	(670-700) x (1370-1400)	630
800 x 1200 x 1950	(770-800) x (1170-1200)	590
800 x 1400 x 1950	(770-800) x (1370-1400)	670

Unit: mm

D+

PROFILES + ACCESSORIES






HIGH QUALITY





SHOWER PARTITIONS

echo series








ECO FRONTAL
(1 FIX + 1DOOR)
Shower doors



ECO FRONTAL (2 + 2)
Shower doors



ECO PANEL
Shower enclosures



ECO FRONTAL + FIJO
Shower enclosures

Technical Parameters


Sliding system
Easy-clean coating
6mm/8mm tempered glass(Transnparent/Strip decorated)
304SS/ZINC ALLOY WHEELS (CP/Black/Golden)
304SS/ZINC ALLOY HANDLE (CP/Black/Golden)
Alumum profile(Oxidized/Black/Golden)
Reversible (Left or Right) for transparent glass
lower bottom threshold: 1.5cm (CP/Black/Golden)

echo frontal (1 fix +1 door)



Shower doors
Glass Thickness: 6mm/8mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm

SIZE	ADJUSTMENT	OPENING
1000 x 1950	950-1000	400-420
1100 x 1950	1050-1100	450-470
1200 x 1950	1150-1200	500-520
1300 x 1950	1250-1300	550-570
1400 x 1950	1350-1400	600-620
1500 x 1950	1450-1500	650-670
1600 x 1950	1550-1600	700-720
1700 x 1950	1650-1700	700-720
1800 x 1950	1750-1800	700-720


SHOWER PARTITIONS

echo frontal (2+2)



Shower doors
Glass Thickness: 6mm/8mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT	OPENING
1200 x 1950	1150-1200	470
1300 x 1950	1250-1300	520
1400 x 1950	1350-1400	570
1500 x 1950	1450-1500	620
1600 x 1950	1550-1600	670
1700 x 1950	1650-1700	720
1800 x 1950	1750-1800	770
1900 x 1950	1850-1900	820
2000 x 1950	1950-2000	870
2100 x 1950	2050-2100	920

echo panel



Shower enclosures
Glass Thickness: 6mm/8mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT	OPENING
700 x 700 x 1950	(675-700) x (675-700)	360
750 x 750 x 1950	(725-750) x (725-750)	400
800 x 800 x 1950	(775-800) x (775-800)	435
900 x 900 x 1950	(875-900) x (875-900)	505
700 x 900 x 1950	(675-700) x (875-900)	435
700 x 1000 x 1950	(675-700) x (985-1000)	465
700 x 1100 x 1950	(675-700) x (1075-1100)	515
800 x 1000 x 1950	(775-800) x (975-1000)	505
800 x 1100 x 1950	(775-800) x (1075-1100)	555
700 x 1200 x 1950	(675-700) x (1175-1200)	565
700 x 1400 x 1950	(675-700) x (1375-1400)	665
800 x 1200 x 1950	(775-800) x (1175-1200)	595
800 x 1400 x 1950	(775-800) x (1375-1400)	685

echo frontal + fijo



Shower enclosures
Glass Thickness: 6mm/8mm
Height：1950 mm

Customizable (Non-Standard)




Unit: mm

SIZE	ADJUSTMENT	OPENING
1000 x 1950	950-1000	400-420
1100 x 1950	1050-1100	450-470
1200 x 1950	1150-1200	500-520
1300 x 1950	1250-1300	550-570
1400 x 1950	1350-1400	600-620
1500 x 1950	1450-1500	650-670
1600 x 1950	1550-1600	700-720
1700 x 1950	1650-1700	700-720
1800 x 1950	1750-1800	700-720

echo hanger series


THK 6/8 mm | reversible | 195 cm

High Gloss | CE



BER HANGER FRONTAL (1 FIX + 1DOOR)

Shower doors



ECO HANGER FRONTAL + FIJO

Shower enclosures

Technical Parameters

Sliding system
Easy-clean coating
6mm/8mm tempered glass(Transnparent/Strip decorated)
304SS/ZINC ALLOY WHEELS (CP/Black/Golden)
304SS/ZINC ALLOY HANDLE (CP/Black/Golden)
Alumum profile(Oxidized/Black/Golden)
Reversible (Left or Right) for transparent glass
lower bottom threshold: 1.5cm (CP/Black/Golden)


echo hanger

frontal (1 fix +1 door)



Shower doors
Glass Thickness: 6mm/8mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm

SIZE	ADJUSTMENT	OPENING
1000 x 1950	960-1000	400-420
1100 x 1950	1060-1100	450-470
1200 x 1950	1160-1200	500-520
1300 x 1950	1260-1300	550-570
1400 x 1950	1360-1400	600-620
1500 x 1950	1460-1500	650-670
1600 x 1950	1560-1600	700-720
1700 x 1950	1660-1700	700-720
1800 x 1950	1760-1800	700-720


echo hanger

frontal + fijo



Shower enclosures
Glass Thickness: 6mm/8mm
Height：1950 mm

Customizable (Non-Standard)




SIZE	ADJUSTMENT	OPENING	REMARK
1000 x 1950	950-1000	400-420	FRONTAL
1100 x 1950	1050-1100	450-470	
1200 x 1950	1150-1200	500-520	
1300 x 1950	1250-1300	550-570	
1400 x 1950	1350-1400	600-620	
1500 x 1950	1450-1500	650-670	
1600 x 1950	1550-1600	700-720	
1700 x 1950	1650-1700	700-720	
1800 x 1950	1750-1800	700-720	
800 x 1950	780-800		FIJO
900 x 1950	880-900		
1000 x 1950	980-1000		
1200 x 1950	1180-1200		

Unit: mm

SHOWER PARTITIONS


lyon series

THK 8/10 mm · reversible · 195 cm · High Gloss · CE



LYON FRONTAL (1 FIX + 1DOOR)

Shower doors



LYON FRONTAL + FIJO

Shower enclosures

Technical Parameters


Pivot hinge system, 304 SS HINGE(CP/Black/Golden)
Easy-clean coating
8mm/10mm tempered glass(Transnparent/Strip decorated)
304SS/ZINC ALLOY/ALUMINUM Metal fixed bar (CP/Black/Golden) (optional)
304SS/ZINC ALLOY WHEELS (CP/Black/Golden)
304SS/ZINC ALLOY HANDLE (CP/Black/Golden)
Alumum profile(Oxidized/Black/Golden)
Reversible (Left or Right)
lower bottom threshold: 1.5cm (CP/Black/Golden)

lyon frontal (1 fix +1 door)



Shower doors
Glass Thickness: 8mm/10mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT	OPENING
1000 x 1950	980-1000	500
1100 x 1950	1080-1100	550
1200 x 1950	1180-1200	600
1300 x 1950	1280-1300	650
1400 x 1950	1380-1400	700
1500 x 1950	1480-1500	700
1600 x 1950	1580-1600	700
1700 x 1950	1680-1700	700
1800 x 1950	1780-1800	700

lyon frontal +fijo



Shower enclosures
Glass Thickness: 8mm/10mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT	OPENING
1000 x 800 x 1950	(980-1000) x (780-800)	500
1100 x 800 x 1950	(1080-1100) x (780-800)	550
1200 x 800 x 1950	(1180-1200) x (780-800)	600
1300 x 800 x 1950	(1280-1300) x (780-800)	650
1400 x 800 x 1950	(1380-1400) x (780-800)	700

SHOWER PARTITIONS


messina series

THK 8 mm | reversible | 195 cm

High Gloss | CE



MESSINA FRONTAL
Shower doors



MESSINA FRONTAL + FIJO
Shower enclosures

Technical Parameters


8mm tempered glass (Transnparent/Strip decorated)
Easy-clean coating glass
304SS/ZINC ALLOY/ALUMINUM Metal fixed bar (CP/Black/Golden) (optional)
304SS/ZINC ALLOY HANDLE (CP/Black/Golden)
Alumum profile (Oxidized/Black/Golden)
Pivot hinge system, ZINC ALLOY HINGE(CP/Black/Golden)
Reversible (LEFT or RIGHT) for transparent glass
lower bottom threshold: 1.5cm (CP/Black/Golden)
Width can be Adjusted Up to 20CM

messina frontal



Shower doors
Glass Thickness: 8mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT	OPENING
900 x 1950	700-900	400-550
1000 x 1950	800-1000	500-650
1050 x 1950	850-1050	550-700
1100 x 1950	900-1100	600-750
1200 x 1950	1000-1200	700-850

messina frontal +fijo



Shower enclosures
Glass Thickness: 8mm
Height：1950 mm

Customizable (Non-Standard)




Unit: mm


SIZE	ADJUSTMENT	OPENING
FRONTAL		
900 x 1950	700-900	400-550
1000 x 1950	800-1000	500-650
1050 x 1950	850-1050	550-700
1100 x 1950	900-1100	600-750
1200 x 1950	1000-1200	700-850
FIJO		
700 x 1930	680-700	
800 x 1930	780-800	
900 x 1930	880-900	

trento series


THK 8/10 mm · reversible · 195 cm · High Gloss · CE



TRENTO FRONTAL (1 DOOR)
Shower doors



TRENTO FRONTAL (2 DOORS)
Shower doors




TRENTO FRONTAL (1FIX+1 DOOR)
Shower doors

Technical Parameters

- Pivot hinge system, 304ss HINGE(CP/Black/Golden)
- Easy-clean coating
- 8mm/10mm tempered glass (Transnparent/Strip decorated)
- 304SS/ZINC ALLOY HANDLE (CP/Black/Golden)
- Alumum profile (Oxidized/Black/Golden)
- Reversible (LEFT or RIGHT)
- lower bottom threshold: 1.5cm (CP/Black/Golden) (optional)


SHOWER PARTITIONS

trento frontal (1door)



Shower doors
Glass Thickness: 8mm/10mm
Height：1950 mm

Customizable (Non-Standard)




Unit: mm

SIZE	ADJUSTMENT	OPENING
600 x 1950	(550-600) x 1950	435
700 x 1950	(650-700) x 1950	535
800 x 1950	(750-800) x 1950	635
900 x 1950	(850-700) x 1950	735
1000 x 1950	(950-1000) x 1950	835


SHOWER PARTITIONS

trento frontal (2 doors)



Shower doors
Glass Thickness: 8mm/10mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm

SIZE	ADJUSTMENT	OPENING
1000 x 1950	950-1000	780
1100 x 1950	1050-1100	880
1200 x 1950	1150-1200	980
1300 x 1950	1250-1300	1080
1400 x 1950	1350-1400	1180
1500 x 1950	1450-1500	1280
1600 x 1950	1550-1600	1380
1700 x 1950	1650-1700	1480
1800 x 1950	1750-1800	1580


trento

frontal (1fix+1door)



Shower doors
Glass Thickness: 8mm/10mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm

SIZE	ADJUSTMENT	OPENING
1000 x 1950	955-1000	575
1100 x 1950	1055-1100	625
1200 x 1950	1155-1200	675
1300 x 1950	1255-1300	725
1400 x 1950	1355-1400	775
1500 x 1950	1455-1500	775
1600 x 1950	1555-1600	775
1700 x 1950	1655-1700	775
1800 x 1950	1755-1800	775

D+

PROFILES + ACCESSORIES



HIGH QUALITY




SHOWER PARTITIONS

mikonos series


THK 8 mm | reversible | 195 cm

High Gloss | CE




MIKONOS FRONTAL (1 FIXED + 1 DOOR)

Shower doors




MIKONOS FRONTAL (2 FIXED + 1 DOOR)

Shower doors



MIKONOS + 1FIJO

Shower enclosures



MIKONOS FRONTAL + 2 FIJO

Shower enclosures

Technical Parameters


Sliding system
Easy-clean coating
8mm tempered glass (Transnparent/Strip decorated)
Metal fixed bar (CP/Black/Golden)
304SS/ZINC ALLOY WHEELS (CP/Black/Golden)
304SS/ZINC ALLOY HANDLE (CP/Black/Golden)
Alumum profile (Oxidized/Black/Golden)
Reversible (LEFT or RIGHT)
lower bottom threshold: 1.5cm (CP/Black/Golden)

mikonos frontal (1fix+1door)



Shower doors
Glass Thickness: 8mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT	OPENING
1000 x 1950	980-1000	420
1100 x 1950	1080-1100	470
1200 x 1950	1180-1200	520
1300 x 1950	1280-1300	570
1400 x 1950	1380-1400	620
1500 x 1950	1480-1500	670
1600 x 1950	1580-1600	720
1700 x 1950	1680-1700	770
1800 x 1950	1780-1800	820

mikonos frontal (2fix+1door)



Shower doors
Glass Thickness: 8mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT	OPENING
1200 x 1950	1180-1200	540
1300 x 1950	1280-1300	590
1400 x 1950	1380-1400	640
1500 x 1950	1480-1500	690
1600 x 1950	1580-1600	740
1700 x 1950	1680-1700	790
1800 x 1950	1780-1800	840

mikonos frontal+fijo



Shower enclosures
Glass Thickness: 8mm
Height：1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT
700 x 1950	(670-700) x 1950
800 x 1950	(770-800) x 1950
900 x 1950	(870-900) x 1950

mikonos frontal +2fijo



Shower enclosures
Glass Thickness: 8mm
Height：1950 mm

Customizable (Non-Standard)




Unit: mm

SIZE	ADJUSTMENT
700 x 1950	(670-700) x 1950
800 x 1950	(770-800) x 1950
900 x 1950	(870-900) x 1950
SIZE	ADJUSTMENT
700 x 1950	(680-700) x 1950
800 x 1950	(780-800) x 1950
900 x 1950	(880-900) x 1950



Shower screen
Glass Thickness: 8mm
Height: 1950 mm

Customizable (Non-Standard)




Unit: mm

SIZE	ADJUSTMENT
700 x 1950	(680-700) x 1950
750 x 1950	(730-750) x 1950
800 x 1950	(780-800) x 1950
900 x 1950	(880-900) x 1950
1000 x 1950	(980-1000) x 1950
1100 x 1950	(1080-1100) x 1950
1200 x 1950	(1180-1200) x 1950

rimini

THK 8 mm | reversible | 195 cm

High Gloss | CE



RIMINI
Shower screen

Technical Parameters


Easy-clean coating
8mm tempered glass (Transnparent/Strip decorated)
Metal fixed bar(CP/Black/Golden)
Alumum profile (Oxidized/Black/Golden)
Reversible (LEFT or RIGHT)

SHOWER PARTITIONS

tub screen series


THK 5/6 mm | reversible | 195 cm

High Gloss | CE




VALENCIA

Shower screen



ALICANTE

Shower screen



ALICATNE SHOWER

Shower screen

Technical Parameters


Pivot system
Easy-clean coating
5mm/6mm tempered glass (Transnparent/Strip decorated)
Metal fixed bar(CP/Black/Golden) (optional)
304SS/ZINC ALLOY HANDLE (CP/Black/Golden)
Alumum profile (Oxidized/Black/Golden)
Reversible (left or right)

valencia



Shower screen
Glass Thickness: 5/6mm
Height：1950 mm

Customizable (Non-Standard)



SIZE	ADJUSTMENT
800 x 1400	800-820


Unit: mm

alicante



Shower screen
Glass Thickness: 5/6mm
Height：1950 mm

Customizable (Non-Standard)



SIZE	ADJUSTMENT
800 x 1400	800-820

Unit: mm


SHOWER PARTITIONS

alicante shower



Shower screen
Glass Thickness: 5/6mm
Height: 1950 mm

Customizable (Non-Standard)



SIZE	ADJUSTMENT
900 x 1950	880-900

Unit: mm

D+

PROFILES + ACCESSORIES





HIGH QUALITY








SHOWER PARTITIONS

turin

THK 5/6 mm | reversible | 195 cm

High Gloss | CE



TURIN


Shower doors

Technical Parameters

- Pivot hinge system, 304ss HINGE (CP/Black/Golden)
- Easy-clean coating
- 5mm/6mm tempered glass (Transnparent/Strip decorated)
- Metal fixed bar (CP/Black/Golden)
- 304SS/ZINC ALLOY HANDLE (CP/Black/Golden)
- Alumum profile (Oxidized/Black/Golden)
- Reversible (LEFT or RIGHT) for transparent glass

Shower doors
Glass Thickness: 5/6mm
Height: 1950 mm

Customizable (Non-Standard)




Unit: mm

SIZE	ADJUSTMENT	OPENING
1100 x 1950	(800+300) x 1950	1080-1100
1200 x 1950	(900+300) x 1950	1180-1200
1300 x 1950	(1000+300) x 1950	1280-1300



Shower doors
Glass Thickness: 6/8mm
Height：1950 mm

Customizable (Non-Standard)



SHOWER PARTITIONS


fina

THK 6/8 mm | reversible | 195 cm

High Gloss | CE

Technical Parameters

Pivot hinge system, LEFT/RIGHT 304 SS HINGE(CP/Black/Golden)
Easy-clean coating
6mm/8mm tempered glass (Transnparent/Strip decorated)
Metal fixed bar (CP/Black/Golden)
304SS/ZINC ALLOY HANDLE (CP/Black/Golden)
Alumum profile (Oxidized/Black/Golden)



FINA

Shower doors


Unit: mm

SIZE	ADJUSTMENT	OPENING
1100 x 1950	(700+400) x 1950	1080-1100
1150 x 1950	(750+400) x 1950	1130-1150
1200 x 1950	(800+400) x 1950	1180-1200
1300 x 1950	(900+400) x 1950	1280-1300
1400 x 1950	(1000+400) x 1950	1380-1400
1500 x 1950	(1100+400) x 1950	1480-1500
1600 x 1950	(1200+400) x 1950	1580-1600
1000 x 1950	(700+300) x 1950	980-1000
1050 x 1950	(750+300) x 1950	1030-1050
1100 x 1950	(800+300) x 1950	1080-1100
1200 x 1950	(900+300) x 1950	1180-1200
1300 x 1950	(1000+300) x 1950	1280-1300
1400 x 1950	(1100+300) x 1950	1380-1400
1500 x 1950	(1200+300) x 1950	1480-1500
900 x 1950	(700+200) x 1950	880-900
950 x 1950	(750+200) x 1950	930-950
1000 x 1950	(800+200) x 1950	980-1000
1100 x 1950	(900+200) x 1950	1080-1100
1200 x 1950	(1000+200) x 1950	1180-1200
1300 x 1950	(1100+200) x 1950	1280-1300
1400 x 1950	(1200+200) x 1950	1380-1400



Shower doors
Glass Thickness: 6/8mm
Height：1950 mm

Customizable (Non-Standard)




Unit: mm

SIZE	ADJUSTMENT	OPENING
1000 x 1950	(600+400) x 1950	970-1100
1200 x 1950	(800+400) x 1950	1170-1200
1400 x 1950	(1000+400) x 1950	1270-1300

milan

THK 6/8 mm | reversible | 195 cm

High Gloss | CE



MILAN

Shower doors


Technical Parameters

Pivot system
Easy-clean coating
6mm/8mm tempered glass (Transnparent/Strip decorated)
Metal fixed bar (CP/Black/Golden)
304SS/ZINC ALLOY HANDLE (CP/Black/Golden)
Alumum profile (Oxidized/Black/Golden)
Reversible (LEFT or RIGHT)



Shower screen
Glass Thickness: 6/8/10mm
Height：1950 mm

Customizable (Non-Standard)




Unit: mm

SIZE	ADJUSTMENT
700 x 1950	(680-700) x 1950
800 x 1950	(780-800) x 1950
900 x 1950	(880-900) x 1950
1000 x 1950	(980-1000) x 1950
1100 x 1950	(1080-1100) x 1950
1200 x 1950	(1180-1200) x 1950

rimini grid

THK 6/8/10 mm | reversible | 195 cm | High Gloss | CE



RIMINI GRID

Shower screen


Technical Parameters

- Easy-clean coating
- 6mm/8mm/10mm tempered glass (Transnparent/Strip decorated)
- Metal fixed bar (CP/Black/Golden)
- Alumum profile (Oxidized/Black/Golden)
- Reversible (LEFT or RIGHT)



Shower screen
Glass Thickness: 6/8/10mm
Height：1950 mm

Customizable (Non-Standard)




Unit: mm

SIZE
700 x 1950
800 x 1950
900 x 1950
1000 x 1950
1100 x 1950
1200 x 1950

modini







MODINI

Shower screen


Technical Parameters

6mm/8mm/10mm tempered glass (Transnparent/Strip decorated)
Easy-clean coating glass
Metal fixed bar (CP/Black/Golden)
Alumum profile (Oxidized/Black/Golden)
Reversible (LEFT or RIGHT)
3PCS assembled
FULL frames



Shower doors
Glass Thickness: 6/8/10mm
Height：1950 mm

Customizable (Non-Standard)




Unit: mm

SIZE	ADJUSTMENT	OPENING
700 x 1950	660-700	530
800 x 1950	760-800	630
900 x 1950	860-900	730
1000 x 1950	960-1000	830
1100 x 1950	1060-1100	930
1200 x 1950	1160-1200	1030

furth flex

THK 5/6 mm | reversible | 195 cm

High Gloss | CE



FOLDED FLEX

Shower doors

Technical Parameters


- 5mm/6mm tempered glass (Transnparent/Strip decorated)
- Easy-clean coating glass
- Alumum profile (Oxidized/Black/Golden)
- Reversible (LEFT or RIGHT)
- Middle folded system
- FULL frames

SHOWER PARTITIONS

rd series


THK 6/8/10 mm · reversible · 195 cm

High Gloss · CE



RD FRONTAL

Shower doors



RD FRONTAL + FIJO

Shower enclosures

Technical Parameters


6mm/8mm/10mm tempered glass(Transnparent/Strip decorated)
Easy-clean coating glass
304SS/ZINC ALLOY HANDLE (CP/Black/Golden)
Alumum profile(Oxidized/Black/Golden)
Pivot hinge system, 304 SS HINGE(CP/Black/Golden)
Reversible (Left or Right) for transparent glass
lower bottom threshold: 15mm (CP/Black/Golden)
Width can be adjusted to 15CM

rd frontal



Shower doors
Glass Thickness: 6/8/10mm
Height: 1950 mm

Customizable (Non-Standard)



Unit: mm


SIZE	ADJUSTMENT	OPENING
1000 x 1950	850-1000	400-525
1100 x 1950	950-1100	450-575
1200 x 1950	1050-1200	500-625
1300 x 1950	1150-1300	550-675
1400 x 1950	1250-1400	600-725
1500 x 1950	1350-1500	600-725
1600 x 1950	1450-1600	600-725
1700 x 1950	1550-1700	600-725
1800 x 1950	1650-1800	600-725

rd frontal + fijo



Shower enclosures
Glass Thickness: 6/8/10mm
Height: 1950 mm

Customizable (Non-Standard)



Unit: mm

SIZE	ADJUSTMENT	OPENING	REMARK
1000 x 1950	850-1000	400-525	FRONTAL
1100 x 1950	950-1100	450-575	
1200 x 1950	1050-1200	500-625	
1300 x 1950	1150-1300	550-675	
1400 x 1950	1250-1400	600-725	
1500 x 1950	1350-1500	600-725	
1600 x 1950	1450-1600	600-725	
1700 x 1950	1550-1700	600-725	
1800 x 1950	1650-1800	600-725	
700 x 1950	680-700		FIJO
800 x 1950	780-800		
900 x 1950	880-900		

American style

SHOWER PARTITIONS


DOMO SHOWER ROOM





Shower doors
Glass Thickness: 3/8″
Height: 76″

Customizable (Non-Standard)




SIZE	OPENING
48″ x 76″	535 mm
60″ x 76″	685 mm

nova sl

THK 3/8'' | reversible | 76″

High Gloss | CE



NOVA SL

Shower doors


Technical Parameters

- Easy-glide Sliding system
- Easy-clean coating
- 3/8" tempered glass(Clear/ Frost)
- 304SS rectangular track
- 304SS Whisper-quiet wheels (CP/Black/Brush Nickled)
- Alumum Frame(Oxidized/Black/Brush Nickled)
- 304SS HANDLE(CP/Black/Brush Nickled)
- 1/2" out-of -plumb adjustment from fixed panel
- Minimum 3" curb of shower pan requested for shower installation
- Reversible (LEFT or RIGHT)
- Easy installation(in approximately 30mins)
- Varying Sizes



Shower doors
Glass Thickness: 3/8″
Height：76″

Customizable (Non-Standard)




SIZE	OPENING
48″ x 76″	535 mm
60″ x 76″	685 mm

nova soft close







NOVA SOFT CLOSE

Shower doors


Technical Parameters

Easy-glide Sliding system
Easy-clean coating
3/8" tempered glass(Clear/ Frost)
Soft-close system is available
2 1/5" diagram 304SS Whisper-quiet wheels (CP/Black/Brush Nickled)
304SS rectangular track
Alumum Frame(Oxidized/Black/Brush Nickled)
304SS HANDLE(CP/Black/Brush Nickled)
1/2" out-of -plumb adjustment from wall joint
Minimum 3" curb of shower pan requested for shower installation
Reversible (LEFT or RIGHT)
Easy installation(in approximately 30mins)
Varying Sizes



Shower doors
Glass Thickness: 3/8″
Height: 76″

Customizable (Non-Standard)




SIZE	OPENING
48″ x 76″	535 mm
60″ x 76″	685 mm

napols sl

THK 3/8'' | reversible | 76″

High Gloss | CE



NAPOLS SL

Shower doors


Technical Parameters

- Easy-glide Sliding system
- Easy-clean coating
- 3/8" tempered glass(Clear/ Frost)
- 304SS round track
- 2 1/5" diagram 304SS Whisper-quiet wheels (CP/Black/Brush Nickled)
- Alumum Frame(Oxidized/Black/Brush Nickled)
- 304SS HANDLE(CP/Black/Brush Nickled)
- 1/2" adjustment from wall joint
- Minimum 3" curb of shower pan requested for shower installation
- Reversible (LEFT or RIGHT)
- Easy installation (in approximately 30mins)
- Varying Sizes



Shower doors
Glass Thickness: 1/4″ 3/8″
Height: 76″

Customizable (Non-Standard)




SIZE	OPENING
48″ x 76″	535 mm
60″ x 76″	685 mm

SHOWER PARTITIONS

bari (8mm) bp

THK 1/4" 3/8" | reversible | 76" | High Gloss | CE



BARI (8MM) BP

Shower doors


Technical Parameters

- Easy-glide Sliding system
- Easy-clean coating
- 1/4" or 3/8" tempered glass (Clear/ Frost)
- Universal design works with LH and RH Plumbing
- Aluminum track (Oxidized/Black/Brush Nickled)
- Alumum vertical frame (Oxidized/Black/Brush Nickled)
- 3/4" width adjustment
- Double 304SS Towel Bar (CP/Black/Brush Nickled)
- 1-3" Glass overlap
- Minimum 3" curb of shower pan requested for shower installation
- Easy installation (in approximately 30mins)
- Varying Sizes



Shower doors
Glass Thickness: 5/16″ 3/8″
Height: 76″


Customizable (Non-Standard)



SIZE	OPENING
48″ x 76″	550 mm
60″ x 76″	720 mm

veni bp

THK 5/16'' 3/8'' | reversible | 76″ | High Gloss | CE



VENI BP

Shower doors

Technical Parameters

- Easy-glide Sliding system
- Easy-clean coating
- 5/16" or 3/8" tempered glass (Clear/ Frost)
- Universal design works with LH and RH Plumbing
- 304SS track(CP/Black/Brush Nickled)
- 304SS Whisper-quiet wheels (CP/Black/Brush Nickled)
- Double 304SS Towel Bar (CP/Black/Brush Nickled)
- 1-3" Glass overlap
- 1/2" out-of -plumb adjustment from wall joint
- Minimum 3" curb of shower pan requested for shower installation
- Easy installation (in approximately 30mins)
- Varying Sizes




SHOWER PARTITIONS

siena bp


THK 5/16'' 3/8" | reversible | 76" | High Gloss | CE

Shower doors
Glass Thickness: 5/16″ 3/8″
Height: 76″

Customizable (Non-Standard)



SIZE	OPENING
48″ x 76″	555 mm
60″ x 76″	720 mm



SIENA BP

Shower doors


Technical Parameters

Easy-glide Sliding system
Easy-clean coating
5/16" or 3/8" tempered glass (Clear/ Frost)
Universal design works with LH and RH Plumbing
304SS track (CP/Black/Brush Nickled)
304SS Whisper-quiet wheels (CP/Black/Brush Nickled)
Double 304SS Towel Bar(CP/Black/Brush Nickled)
Aluminum Frame (Oxidized/Black/Brush Nickled)
1-3" Glass overlap
7/8" out-of -plumb adjustment from each vertical U-channel
Minimum 3" curb of shower pan requested for shower installation
Easy installation (in approximately 30mins)
Varying Sizes



Shower doors
Glass Thickness: 5/16″ 3/8″
Height: 76″


Customizable (Non-Standard)



SIZE	OPENING
48″ x 76″	555 mm
60″ x 76″	720 mm

parma bp

THK 5/16'' 3/8'' | reversible | 76″ | High Gloss | CE



PARMA BP

Shower doors

Technical Parameters

- Easy-glide Sliding system
- Easy-clean coating
- 5/16" or 3/8" tempered glass (Clear/ Frost)
- Universal design works with LH and RH Plumbing
- 304SS track (CP/Black/Brush Nickled)
- 304SS Whisper-quiet wheels (CP/Black/Brush Nickled)
- Double 304SS Towel Bar (CP/Black/Brush Nickled)
- Aluminum vertical frame (Oxidized/Black/Brush Nickled)
- 3/4" width adjustment from wall joints
- Minimum 3" curb of shower pan requested for shower installation
- Easy installation (in approximately 30mins)
- Varying Sizes



Shower doors
Glass Thickness: 1/4″
Height: 76″


Customizable (Non-Standard)

SIZE	OPENING
48″ x 76″	535 mm
60″ x 76″	685 mm

verona HGD

THK 1/4'' | reversible | 76″

High Gloss | CE



Verona HGD

Shower doors

Technical Parameters

Pivot Door
Easy-clean coating
1/4" tempered glass (Clear/Frsost)
2"-3" Adjustment
ZINC ALLOY Pivot hinge (CP/Black/Brush Nickled)
304SS/ZINC ALLOY HANDLE (CP/Black/Brush Nickled)
Aluminum Frame (Oxidized/Black/Brush Nickled)
Polycarbonate Sweep
Reversible (LEFT or RIGHT) for transparent glass
Easy installation (in approximately 30mins)



SHOWER PARTITIONS


minbu HGD


THK 3/8'' | reversible | 76'' | High Gloss | CE

Shower doors
Glass Thickness: 3/8″
Height: 76″

Customizable (Non-Standard)

SIZE	OPENING
48″ x 76″	550 mm
60″ x 76″	700 mm





Minbu HGD

Shower doors


Technical Parameters

Frameless Pivot Door
Easy-clean coating glass
3/8" tempered glass (Clear/Frost)
304SS Pivot hinge (CP/Black/Brush Nickled)
304SS HANDLE (CP/Black/Brush Nickled)
Aluminum U channelF (Oxidized/Black/Brush Nickled)
Polycarbonate Sweep
Reversible (LEFT or RIGHT) for transparent glass
Easy installation (in approximately 30mins)
Door height: 74"-75"
Fixed Panel Height:Variable ,up to 96"
36" MAX DOOR (32"and larger require 3 hinges)



Shower doors
Glass Thickness: 1/4″
Height: 76″

Customizable (Non-Standard)




Unit: mm

SIZE	ADJUSTMENT	OPENING
1000 x 700 x 1950	(900-1000) x (680-700)	550
1000 x 800 x 1950	(900-1000) x (780-800)	550
1200 x 700 x 1950	(1100-1200) x (680-700)	650
1200 x 800 x 1950	(1100-1200) x (780-800)	650

genoa HGD

THK 1/4'' | reversible | 76'' | High Gloss | CE



Genoa HGD

Shower doors


Technical Parameters

- Extensible Pivot Door
- Easy–clean coating
- 1/4" tempered glass (Clear/Frost)
- ZINC ALLOY Pivot hinge (CP/Black/Brush Nickled)
- 304SS/ZINC ALLOY HANDLE (CP/Black/Brush Nickled)
- 2"–3" Adjustable track
- Aluminum Frame (Oxidized/Black/Brush Nickled)
- Polycarbonate Sweep
- Reversible (LEFT or RIGHT) for transparent glass
- Easy installation (in approximately 30mins)



Shower doors
Glass Thickness: 3/8″
Height: 76″

Customizable (Non-Standard)




SIZE
48″ x 76″
60″ x 76″

SHOWER PARTITIONS

fremont 1door HGD

THK 3/8" reversible

High Gloss



FREMONT 1 DOOR HGD

Shower doors


Technical Parameters

Pivot hinge system, 304ss HINGE (CP/Black/Golden)
Easy-clean coating
3/8"mm tempered glass (Transnparent/Strip decorated)
304SS/ZINC ALLOY HANDLE (CP/Black/Golden)
Alumum profile (Oxidized/Black/Golden)
Reversible (LEFT or RIGHT)
lower bottom threshold: 1.5cm (CP/Black/Golden) (optional)



Shower doors
Glass Thickness: 3/8″
Height: 76″

Customizable (Non-Standard)




SIZE
48″ x 76″
60″ x 76″

SHOWER PARTITIONS

fremont 2doors HGD

THK 3/8" reversible

High Gloss



FREMONT 2 DOORS HGD

Shower doors

Technical Parameters

Pivot hinge system, 304ss HINGE (CP/Black/Golden)
Easy-clean coating
3/8"mm tempered glass (Transnparent/Strip decorated)
304SS/ZINC ALLOY HANDLE (CP/Black/Golden)
Alumum profile (Oxidized/Black/Golden)
Reversible (LEFT or RIGHT)
lower bottom threshold: 1.5cm (CP/Black/Golden) (optional)




fremont (1 fix+1door) HGD

THK 3/8" | reversible


High Gloss

Shower doors
Glass Thickness: 3/8″
Height: 76″

Customizable (Non-Standard)



SIZE
48″ x 76″
60″ x 76″



FREMONT (1 FIX + 1 DOOR) HGD

Shower doors

Technical Parameters

Pivot hinge system, 304ss HINGE(CP/Black/Golden)
Easy-clean coating
3/8"mm tempered glass (Transnparent/Strip decorated)
304SS/ZINC ALLOY HANDLE (CP/Black/Golden)
Alumum profile (Oxidized/Black/Golden)
Reversible (LEFT or RIGHT)
lower bottom threshold: 1.5cm (CP/Black/Golden) (optional)

Your requirements are our standard!

Excellent quality